

PRODUCT CERTIFICATION

Quality to the Core®

Technical Services: 866-282-9298
www.pabco gypsum.com

January 2010

This is to certify that PABCO Gypsum, a Division of PABCO Building Products, LLC, manufactures its gypsum board products in plants located in the United States with gypsum ore mined in North America to meet or exceed the following standards and/or Specifications: (Note - Federal Specifications have been withdrawn and replaced by the appropriate ASTM Standards). This certification letter meets the requirements of ASTM C 1264 – 05.

- **MOLD CURB® PLUS:** (Regular or Type X Core)
Mold-Resistant and Water-Resistant Gypsum Board –
ASTM Standard C 1396/C 1396M – 06a,
formerly C 630/C 630M – 03
- **FLAME CURB® Gypsum Wallboard:** (Type X, Type
XXX, or Super 'C' Core) – ASTM Standard 1396/C
1396M – 06a Type X, formerly C 36/C 36M – 03
- **Regular Wallboard and FLEX Wallboard:** (Regular
Core) – ASTM Standard C 1396/C 1396M – 06a,
formerly C 36/C 36M – 03
- **Gypsum Ceiling Board:** (Regular Core) – ASTM
Standard C 1396/C 1396M – 06a,
formerly C 1395/C 1395M – 04
- **WATER CURB® Gypsum Backing Board:** (Regular
or Type X Core)
Water-Resistant Gypsum Backing Board -
ASTM Standard C 1396/C 1396M – 06a,
formerly C 630/C 630M - 03
- **Gypsum Sheathing Board:** (Regular or Type X Core)
- ASTM Standard C 1396/C 1396M – 06a,
formerly C 79/C 79M – 04a
- **Exterior Gypsum Soffit Board:** (Regular, Type X,
Type XXX, or Super 'C' Core) – ASTM Standard C
1396/C 1396M – 06a, formerly C 931/C 931M – 04
- **PABCORE® Gypsum Shaftliner Board and
PABCORE® MOLD CURB® PLUS Gypsum
Shaftliner Board:** (Type X Core) - ASTM Standard C
1396/C 1396M – 06a, formerly C 442/C 442M – 04

In addition to meeting the standards noted to the left, all Type X, Type XXX or Super 'C' products carry an Underwriters Laboratories, Inc. label on the back of each panel and an appropriate face marking along the tapered edge. ICC Evaluation Report - ESR 1338 covers generic gypsum board fire resistance rated systems. This report has the endorsement of PABCO Gypsum. Application recommendations promulgated by the Gypsum Association (GA 216, GA 253 and 214) and/or ASTM (C 840 and C 1280) are to be considered as PABCO Gypsum application and finishing specifications. Additional documentation concerning PABCO Gypsum products is available in the Technical Data section on the PABCO Gypsum web site: <http://www.pabco gypsum.com/>. ASTM documents may be purchased at www.astm.org.

Joint compounds and tape that meet ASTM C 475 shall be used for finishing PABCO Gypsum's gypsum board products. The Levels of Gypsum Board Finish (GA-214) specifications shall be used for finishing joints and fastener heads (available from www.gypsum.org).

Foil may be applied to the back of ASTM C 1396 gypsum wallboard for the purpose of complying with ASTM C 1396 paragraphs 5.1.4, 6.1.4, 10.1.4 and 11.1.4.

Asbestos and VOC certification – laboratory tests have been conducted on PABCO Gypsum's gypsum board in compliance with U.S. Government regulations and have shown that PABCO's board contains no measurable asbestos content. PABCO products have been tested by CHPS certified laboratories and shown to be below the criteria of less than 1/2 the Interim Indoor REL for formaldehyde and PABCO's products are listed in the LEM Table for use on CHPS projects (reference www.chps.net).

Limited Warranty: PABCO® Building Products, LLC, warrants that on the date the gypsum board is shipped from its manufacturing plant the gypsum board is free from defects in materials and manufacture. This warranty will remain in place for one year from the date of shipment from the manufacturing plant. THIS EXPRESS WARRANTY IS THE EXCLUSIVE WARRANTY PROVIDED BY PABCO® BUILDING PRODUCTS, LLC, AND SUPERSEDES ANY PRIOR, CONTRARY OR ADDITIONAL REPRESENTATIONS, WHETHER ORAL OR WRITTEN. PABCO® BUILDING PRODUCTS, LLC, HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES – WHETHER EXPRESS, IMPLIED, OR STATUTORY – INCLUDING ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY IMPLIED WARRANTIES OTHERWISE ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

If the gypsum board fails to conform to the foregoing warranty in Paragraph 1 and such nonconformity is not due to misuse or improper maintenance or storage, Buyer shall notify PABCO® Building Products, LLC, in writing, and within 60 days of discovery, PABCO® Building Products, LLC, shall provide, at its sole and absolute discretion, one of the following: (i) repair or replacement of any nonconforming or defective gypsum wallboard; or (ii) credit or full refund of the purchase price. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF BUYER FOR ANY BREACH OF WARRANTY.

IN NO EVENT SHALL PABCO® BUILDING PRODUCTS, LLC, BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, WHETHER RESULTING FROM NONDELIVERY OR FROM THE USE, MISUSE, OR INABILITY TO USE THE PRODUCT OR FROM DEFECTS IN THE PRODUCT OR FROM NEGLIGENCE OR OTHER TORT. This exclusion applies regardless of whether such damages are sought for breach of warranty, breach of contract, negligence, or strict liability in tort or under any other legal theory.

Trademarks: The following trademarks used herein are owned by Pacific Coast Building Products and licensed to PABCO® Gypsum: PABCO®, PABCORE®, FLAME CURB®, WATER CURB®, MOLD CURB®, Quality to the Core®.

Note: Products described herein may not be available in all geographic markets. Consult your PABCO® Gypsum sales representative for information.